


**Please, read this manual
carefully before use!**

Owner's Manual



Car air compressor

KS PCL-10





Thank you for your purchase of **Könner & Söhnen®** products. This manual contains a brief description of safety, use and debugging. More information can be found on the official manufacturer's website in the support section: **konner-sohnen.com/manuals**

You can also go to the support section and download the manual by scanning the QR code, or on the website of the official importer of Könner & Söhnen® products: **www.konner-sohnen.com/en-us**



Please, read this manual carefully before use!

Manufacturer reserves the right to make alterations into the product, which may not be reflected in this manual. Pictures and photos of the product may vary from its actual appearance. At the end of this manual, You may find contact information which you are free to use in case of any issues occurrence.

All data, specified in this operation manual is the most up to date for the moment of its publishing. The current list of service centers you can find at the website of official importer: **www.konner-sohnen.com/en-us**



ATTENTION - DANGER! Failure to follow the recommendations marked with this sign may lead to serious injury of the operator or third parties.




IMPORTANT! Useful information while operating the machine.

1. Read the operating instructions carefully before using the device.
2. Keep children and animals away from the working area of the device.
3. Avoid using the device near explosive substances, flammable gases, or in dusty environments.
4. Avoid overheating the device, smoking near the device, and exposing the device to extreme moisture; keep the device away from open flames and never immerse it in water.
5. The device must not be stored at temperatures exceeding 140 °F.
6. Never do anything that may cause mechanical damage to the device.


7. Do not disassemble or transform the product without authorization.

MAIN OVERVIEW

2




1. Charging port
2. Nozzle compartment cover
3. Cover for nozzles
4. Control buttons
5. LED display
6. LED light
7. Air hose port




THE PACKAGE INCLUDES:

- Car air compressor
 - Storage bag
8. Air hose
 9. USB Type-C
 10. Nozzles for inflating











IMPORTANT! Manufacturer reserves the right to make changes and/or improvements in design, components set and technical attributes without notice and without incurring obligation. The pictures in this manual are schematical and may not match the parameters of original product.

Model	KS PCL-10
Battery	2*2000 mAh
Voltage	7.4 V
Power	40 W
Approximate working time (depending on load)	20 min.
Charging voltage	5V/1A
Max pressure	150 Psi
Speed	15 l/min
LED light	+
Automatic shutdown	+
Dimensions (LxWxH)	22"×3.5"×3.5"
Gross weight	1.3 lbs



1. Long press (2 sec) the switch button "☰" and the screen will turn on. If no operation is performed after switching the air compressor, it switch to hibernation mode in a 1.5 min.
2. In hibernation mode, tap SWITCH button "☰" to light up the screen if you want to start working. If you need to power off the product - hold switch button for 3 sec. Product shuts down after being 10 sec in hibernation mode.

3. By pressing this sign "" choose the mode. The mode sequence is car mode, motorcycle mode and sport equipment inflation mode, with a default values 2.5Bar, 45 PSI, 60 PSI and 8 PSI respectively. To switch the unit press button "" for 2 sec and choose the unit: PSI, BAR, Kpa, kg/cm². Stop the operation to confirm selected mode.
4. Press "+" or "-" to set desired pressure. Air compressor has memory function and will automatically use value which was set before.
5. After setting all values, press "" SWITCH button and air compressor will start working. To stop inflating, press Switch button again "".
6. When the product is working, press "+" or "-" or "", the air compressor will not stop working. Touch "" to stop working immediately. Touch "" and continue working until the air pressure reaches the set point.
7. Flashlight has 3 modes. Press "" to turn on flashlight, press again to choose the mode or to turn off the flashlight.

CONTACTS

The United States:

KS Energy Solutions, Inc.
Balcones Drive STE 100
Austin, TX 78731, USA

Authorized Warranty Service

support.us@dimaxgroup.com
www.konner-sohnen.com/us