
Please, read this manual carefully before use!



Handheld vacuum cleaner with air compressor

KS VCP30



INTRODUCTION

Thank you for opting for **Könner & Söhnen®** products. This manual contains a brief description of safety, setup and use. More information can be found on the official importer's website in the support section: **konner-sohnen.com/manuals**

You can also go to the support section and download the manual by scanning the QR code or on thewebsite of the official importer of Könner & Söhnen® at www.konner-sohnen.com/en-us




Please, read this manual carefully before use!

The manufacturer of **Könner & Söhnen®** products reserves the right to make changes that may not be reflected in this manual, namely:

- The manufacturer reserves the right to make changes in the product design, configuration and construction.

- The images and drawings in this manual are for reference only and may differ from the actual components and inscriptions on the products.

Contact information that you are free to use in case of any problems can be found at the end of this manual. All information in this manual is correct to the best of our knowledge and belief at the date of its publication. The current list of service centers can be found on the official importer's website at **www.konner-sohnen.com/en-us**



1. This appliance is for household use only. Not for commercial or industrial use.

2. Do not use with damaged power cord or adaptor. If the appliance malfunction dropped, damaged or dropped into water, send to the authorized service center.

3. Do not use without filter in place. Clean the filter before use,

4. Do not use to pick up flammable or combustible liquids such as gasoline, or use in areas where they may be present.

5. Do not attempt to suck sharp objects that could damage the vacuum cleaner or the filter.

6. Do not pick up anything that is burning or smoking, such as cigarettes, matches or hot ashes.

7. The device must not be stored at temperatures exceeding 140 °F.

- 8. Never do anything that may cause mechanical damage to the device.
- 9. Do not disassemble or transform the product without authorization.

4 functions - Vacuum, Inflatable, Lighting and Tire Pressure Detection.

1. Inflatable and vacuum equipped with independent motors, so that products can better work its own functions.

2. The suction of the vacuum cleaner reached 3000 Pa, and the high power inflation.

3. The vacuum cleaner can be used on both dry and wet surfaces to quickly and easily remove dirt inside your vehicle. It is strictly prohibited to use in the rain. Especially to prevent the body from entering water, to avoid damage the body.

4. Accurate tire pressure gauge, remove safety hazards.


5. External LED light allows you to clean easily at night.

MAIN OVERVIEW


FFATURES

3

IMPORTANT!





- 1. Inlet port
- 2. Transparent dustbin
- 3. HEPA (high efficiency particulate air filter) filtration system
- 4. dustbin release button
- 5. LED light
- 6. Main power switch
- 7. LED light switch
- 8. Vent



THE PACKAGE INCLUDES:

- 9. Adapters (2 pcs.)
- 10. Corrugated hose
- 11. Narrow nozzle
- 12. Brush nozzle
- 13. Air compressor hose
- 14. Units of air adapter (3 pcs.)





TECHNICAL SPECIFICATION

Model	KS VCP30
Air flow	18 l/min
Max pressure	150 psi
Rated voltage	DC 12 V
Rated power	80 W
Rated current	6.7 A
Vacuum degree	3000 Pa
Filtration method	Paper HEPA filter
Dustbin volume	600 ml
Cable Length	138" (with cigarette lighter plug)
Net dimensions (LxWxH)	13.9"*4.6"*14"
Net weight	2.6 lbs
Accessories	2×Adapters, 1×Corrugated hose, 1×Narrow nozzle, 1×Brush nozzle, 1×Air compressor hose, 1×Units of air adapter

TECHNICAL SPECIFICATION

5

ON/OFF SWITCH

Push forward is vacuum function, push back is inflatable function, and turn to middle is OFF. LED lighting is equipped with independent switch.





NOTE

Turn the car on, ensure that the car battery has sufficient electricity, and also that the product will not consume the battery power after the using and caused the car cannot start.

VACUUM:

Turn the car on and plugged it in to 12V DC power supply equipment, and push forward to turn on the vacuum.

- 1. Choose the appropriate suction nozzle to vacuum the dust.
- 2. Be careful not to exceed 1/3 of the volume of the dust cover to avoid jam.

INFLATABLE:

Attach one end of the air hose to the compressor outlet and move the latch to securely fasten it. Attach the other end of the air hose to the tire valve. Push the power switch back to start inflating the tire.





Warning! When pumping, the device heats up. Do not pump longer than 8 minutes. Let the device cool down for at least 5-10 minutes!

LED LIGHT:

Press the lighting switch button, the LED light turns on. Press it again, and the light turns off.

TIRE PRESSURE DETECTION:

WARNING

When the tire pressure is measured, the power switch is turn off. The trachea tube insert into the tire valve and the another end connect with the product inflating interface. At this time, the barometer will show the pressure of the car tire. Please note that both ends of the gas locked to prevent the air leakage.



6

- 1. Regularly clean the trash inside the dust box to prevent malfunction of the vacuum cleaner.
- Please don't wipe the surface of the vacuum with gasoline or oily matter, which should be cleaned with water or neutral detergent. And the cotton cloth should be wrung up when you wipe the product to keep water from the electronic component inside the vacuum cleaner.
- 3. In case of reduced suction power or after prolonged use, clean the dust container and the HEPA filter element of the vacuum cleaner regularly to ensure perfect cleaning results.
- 4. The electronic and mechanical part of this vacuum cleaner was factory sealed. Any attempt to tamper with the casing of the vacuum cleaner may cause damage to the vacuum cleaner.





Using filters without drying may damage the motor!

MAINTAINING THE HEPA FILTER:

WARNING!

The HEPA filter is a high-performance reusable filter element that requires gentle handling during operation and cleaning. Special care should be taken to ensure its structural integrity to prevent deformation and deterioration of its soft corrugated part. You can choose your preferred cleaning method from the listed below, but be sure to remove it from the vacuum cleaner before cleaning.

MECHANICAL DRY CLEANING:

- Remove dirt and dust on the outside using a new paint brush;
- Purge the inside with compressed air in the opposite direction of suction.

RINSING IN RUNNING WATER

- Carefully rinse the inside of the filter with plenty of clean running water so as not to deform the soft corrugated part, and let the filter dry completely before using it again.



CONTACTS

The United States: KS Energy Solutions, Inc. Balcones Drive STE 100 Austin, TX 78731, USA

Authorized Warranty Service support.us@dimaxgroup.com

www.konner-sohnen.com/en-us